

# Syndrome de Felty

---

# Syndrome de Felty

---

- Décrit par le Dr Felty en 1934
- **Triade : polyarthrite rhumatoïde, leuconeutropénie < 1,5 G/L, splénomégalie**
- 1% des patients atteints de PR, en moyenne 16 ans après le diagnostic de PR (âge moyen : 60 ans), HLA-DR4 ++
- Mauvais pronostic : mortalité de 25 % (sepsis)
- Facteurs de risque : taux élevé d'anticorps, nodules rhumatoïdes, complexes immuns circulants, destruction articulaire
- Manifestations extra-articulaires plus fréquentes
- Risque plus élevé de développer un mélanome dans la première année

# Syndrome de Felty

---

- Manifestations cutanées : **nodules rhumatoïdes (76%), ulcères de jambes (22%) avec tendance à l'hyperpigmentation**
- Ulcères de jambe : creusants, localisation aux chevilles et faces tibiales
- Complications : infections bactériennes
- Traitement : rituximab, splénomégalie en dernier recours

# BIBLIOGRAPHIE

---

- Yamamoto T. Cutaneous manifestations associated with rheumatoid arthritis. *Rheumatol Int.* juill 2009;29(9):979-88.
- Lora V, Cerroni L, Cota C. Skin manifestations of rheumatoid arthritis. *G Ital Dermatol E Venereol Organo Uff Soc Ital Dermatol E Sifilogr.* avr 2018;153(2):243-55.
- Sayah A, English JC. Rheumatoid arthritis: a review of the cutaneous manifestations. *J Am Acad Dermatol.* août 2005;53(2):191-209; quiz 210-2.
- Sienknecht CW, Urowitz MB, Pruzanski W, Stein HB. Felty's syndrome. Clinical and serological analysis of 34 cases. *Ann Rheum Dis.* déc 1977;36(6):500-7.
- Champion G, Maddison PJ, Goulding N, James I, Ahern MJ, Watt I, et al. The Felty syndrome: a case-matched study of clinical manifestations and outcome, serologic features, and immunogenetic associations. *Medicine (Baltimore).* mars 1990;69(2):69-80
- Ayzenberg M, Shenberger KN. Successful treatment of a large cutaneous ulcer and improvement in the hematologic manifestations of felty syndrome with rituximab. *J Clin Rheumatol Pract Rep Rheum Musculoskelet Dis.* déc 2014;20(8):440-1.